

CAMBRIDGE INTERNATIONAL EXAMINATIONS  
General Certificate of Education Ordinary Level

**PHYSICS**

**5054/03**

Paper 3 Practical Test

October/November 2003

Additional Materials: As specified in the Confidential Instructions

**2 hours**

**READ THESE INSTRUCTIONS FIRST**

Follow the instructions on the front cover of the Answer Booklet.  
Write your answers in the spaces provided in the Answer Booklet.

Answer **all** questions.

For each of the questions in Section A, you will be allowed to work with the apparatus for a maximum of 20 minutes. For the question in Section B, you will be allowed to work with the apparatus for a maximum of 1 hour.

You are expected to record all your observations as soon as these observations are made.

An account of the method of carrying out the experiment is **not** required.

At the end of the examination, hand in only the Answer Booklet.

This document consists of **5** printed pages, **3** blank pages and an inserted Answer Booklet.

**Section A**

Answer **all** questions in this section.

- 1 *In this experiment, you will determine the energy changes of a toy car as it moves down a ramp.*

You have been provided with a ramp, a toy car, a half-metre rule, a stopwatch and a set square.

- (a) The two lines on the ramp are a distance  $s$  of 0.90 m apart. Place the front of the car level with the line at the top of the ramp. Release the car and determine an average value for the time  $t$  taken for the car to travel to the lower line. Record your measurements and calculations on page 2 of your Answer Booklet.

- (b) Calculate the final speed  $v$  of the car as it reaches the lower line on the ramp given that

$$v = \frac{2s}{t}.$$

- (c) Measure the vertical height  $h$  through which the car descends as it moves a distance of 0.90 m along the ramp. Draw a diagram to explain how you did this.

- (d) Record the mass  $m$  of the car, which is given on the card.

- (e) Calculate

- (i) the potential energy  $E_p$  lost by the car as it descends through the height  $h$ , given that

$$E_p = mgh,$$

where  $g = 9.8 \text{ N/kg}$ ,

- (ii) the kinetic energy  $E_k$  gained by the car as it moves through the 0.90 m distance, given that

$$E_k = \frac{1}{2}mv^2.$$

- (f) Comment on the results you have obtained in (e).

- 2 In this experiment, you will determine the density of the material from which a metre rule is made.

You have been provided with a metre rule, a knife edge, a 100 g mass and a small rule with mm graduations.

- (a) Balance the metre rule on the knife edge in order to determine the position of the centre of mass of the rule. On page 3 of your Answer Booklet, record the distance  $d$  of the centre of mass from the 0.0 cm end of the rule.
- (b) Set up the apparatus as shown in Fig. 2.1, with the 100 g mass placed close to the 0.0 cm end of the rule.




Fig. 2.1


The knife edge should be placed at a point between 0.0 cm and 50.0 cm so that the system balances. Determine the distances  $x$  and  $y$ , showing clearly how these were obtained.

- (c) Calculate the mass  $m$  of the metre rule given that  $m = \frac{100x}{y}$  grams.
- (d) Determine the average width  $w$  and the average thickness  $t$  of the metre rule. Also record the length  $l$  of the metre rule.
- (e) Calculate
- the volume  $V$  of the metre rule given that  $V = lwt$ ,
  - the density  $\rho$  of the material of the rule given that  $\rho = \frac{m}{V}$ .

- 3 In this experiment, you will investigate the frictional force opposing the motion of a block of wood to which masses have been added.

You have been provided with a block of wood with a hook at one end, a newton-meter and some 50 g masses.

- (a) Place a 50 g mass on top of the block of wood. Pull the block horizontally across the bench at constant speed by means of the newton-meter, as shown in Fig. 3.1.



**Fig. 3.1**

Determine an average value for the force  $F$  required to move the block across the bench at constant speed. Record all your measurements on page 4 of your Answer Booklet.

- (b) Record the mass  $M_B$  of the block, which is given on the card. Also record the total mass  $M_T$  of the block with the added mass.
- (c) Calculate the total weight  $W$  of the block with the added mass given that

$$W = M_T g,$$

where  $g = 9.8 \text{ N/kg}$ .

- (d) Calculate a value for the coefficient of friction  $\mu$  between the block and the bench given that

$$\mu = \frac{F}{W}.$$

- (e) It is expected that, when different masses are placed on the block, the value of  $\mu$  will remain constant. Repeat the experiment with two 50 g masses and then with three 50 g masses placed on the block. Comment on the results that you obtain.

**Section B**

- 4 *In this experiment, you will investigate the power dissipated in a length of resistance wire.*

You have been provided with a metre rule to which a length of resistance wire has been attached, an ammeter, a voltmeter, a switch, a power supply, a fixed resistor and two crocodile clips.

- (a) On page 5 of your Answer Booklet, draw a diagram of the circuit that has been set up by the Supervisor.
- (b) Adjust the positions of the crocodile clips on the wire so that a length  $l$  of 80.0 cm of resistance wire is connected in the circuit. Close the switch and record the current  $I$  in the circuit and the potential difference  $V$  across the length of wire. Open the switch. Take care not to touch the fixed resistor because it may be hot.
- (c) Calculate the power  $P$  dissipated in the wire given that  $P = IV$ .
- (d) For a range of lengths  $l$  of wire, record the current  $I$  in the circuit and the corresponding potential difference  $V$  across the wire. Tabulate your results on page 6 of your Answer Booklet. Include in your table a column for values of  $P$  and your results from (b) and (c).
- (e) Switch off the circuit.
- (f) Using the grid on page 7 of your Answer Booklet, plot a graph of  $P/W$  on the  $y$ -axis against  $l/\text{cm}$  on the  $x$ -axis.
- (g) Draw a smooth curve through your points. Find the length  $l_M$  of wire at which the maximum power  $P_M$  is dissipated.
- (h) Using the value of the resistance of a one metre length of the wire which is given on the card, find the resistance corresponding to the length  $l_M$  of wire.





